



PSB Singapore

CERTIFICATE OF CONFORMITY

No. CLS2 18 02 80975 008

Initial No. CLS2 13 03 80975 001

Certificate Holder: **K-Flex Malaysia Sdn Bhd**
Lot 2752 Jalan Raja Nong
Taman Klang Jaya
41200 Klang
MALAYSIA

Product: Thermal Insulation Materials

Brand Name: K-Flex ST

Model(s): K-Flex ST

Product Details: Nitrile rubber based elastomeric foam
adhered to 1mm thick steel sheet
Thickness: 6mm ~ 50mm
Bulk Density: 58kg/m³ ~ 86kg/m³
Tested on the elastomeric foam insulation face
(Rating: Class 0)

Standard(s): BS 476-6:1989/A1:2009
BS 476-7:1997

Country of Origin: Italy, Malaysia, People's Republic of China

Test Report(s): See COC Appendix (1 pg)

Issued on: 2018-02-12

Valid until: 2023-05-27

Vice-President (Certification Department)
TÜV SÜD PSB

Page 1 of 2

This Certificate is part of a full report and should be read in conjunction with it. This Certificate remains the property of TÜV SÜD PSB Pte Ltd and shall be returned upon request. The use of this Certificate is subjected to TÜV SÜD Group Testing and Certification Regulations; TÜV SÜD PSB Pte Ltd (PSB) General Terms and Conditions of Business and PSB Product Listing Scheme (PLS) Application Fact Sheet. The manufacturer is solely responsible for compliance of any product that has the same designation as the product type-tested. Persons relying on this Certificate should verify its validity by checking TÜV SÜD PSB's website at www.tuv-sud-psb.sg



Cert No: PD-2002-01



PSB Singapore

PRODUCT LISTING SCHEME APPENDIX

TO CERTIFICATE OF CONFORMITY NUMBER: CLS2 18 02 80975 008

Date of Issue : 2018-02-12

Issued To : **K-Flex Malaysia Sdn Bhd**
Lot 2752 Jalan Raja Nong
Taman Klang Jaya
41200 Klang
MALAYSIA

Test Report (s) : 7191034208-PIC12/1-OKH
7191034208-PIC12/2-YWA
7191037488-PIC12/1-OKH
7191037488-PIC12/2-YWA
7191097410-MEC14/1-OKH
7191097410-MEC14/2-YWA

Vice President (Certification Department)
TÜV SÜD PSB