



A-MARK
Product Certification Mark



ACB 045

PRODUCT CERTIFICATE OF CONFORMITY

Certification Scheme Type 5

This is to certify that the product and certificate holder detailed here-on complied to the Certification Requirements of ANQAS Certification Sdn. Bhd.

REFLECTIVE INSULATION BUILDING MATERIALS

is found to comply with

MS 2095: 2022

Certificate Holder : K-FLEX MALAYSIA SDN. BHD.
LOT 2752, JALAN RAJA NONG,
TAMAN KLANG JAYA,
41200 KLANG,
SELANGOR DARUL EHSAN, MALAYSIA.

Product Description : *Product Description shall refer to Appendix A*

Manufacturer : K-FLEX MALAYSIA SDN. BHD.
LOT 2752, JALAN RAJA NONG,
TAMAN KLANG JAYA,
41200 KLANG,
SELANGOR DARUL EHSAN, MALAYSIA.

Certificate No.:
L03521

*Date of Initial
Certification:*
27.08.2021

Date of Issue:
28.08.2025 (A2)

Date of Expiry:
31.08.2026

Brand

K-FLEX

Certificate issued by:
ANQAS CERTIFICATION SDN. BHD.
(1290274-U)
D-02-16, Tingkat 1, Jalan Sri Kenari 14,
Taman Sri Kenari Fasa 2, 43000 Kajang,
Selangor Darul Ehsan, MALAYSIA.

Website: www.anqascertification.com
Tel : +603-3310 0031
Fax : +603-8740 5737/9447
Fax : +603-8740 2287

.....
Ts. AZMAN BIN IDRIS
Managing Director
ANQAS CERTIFICATION SDN. BHD.



PRODUCT CERTIFICATE OF CONFORMITY

Certificate Holder : K-FLEX MALAYSIA SDN. BHD.

Product Description

Model	Thickness (mm)	Base	Base Density (kg/m ³)
K-PROTECT	6, 10, 13, 16, 20, 25, 32, 40, 50	Crosslinked Polyethylene Foam	30 ± 10%

Duty : Medium
Vapour Barrier : Medium
Emittance : Reflective
Thermal Resistance (m²K/w) : 1.048 - 1.815
Fire Classification : Class 0

Certificate No. : L03521
Date of Initial Certification : 27.08.2021
Date of Issue : 28.08.2025 (A2)
Date of Expiry : 31.08.2026


Ts. AZMAN BIN IDRIS
Managing Director
ANQAS CERTIFICATION SDN. BHD.



Certificate issued by:

ANQAS CERTIFICATION SDN. BHD. (1290274-U)

D-02-16, Tingkat 1, Jalan Sri Kenari 14, Taman Sri Kenari Fasa 2, 43000 Kajang, Selangor Darul Ehsan, MALAYSIA.
Website: www.anqascertification.com Tel: +603-3310 0031 / +603-8740 5737/9447 Fax: +603-8740 2287